



# INTERNATIONAL JOURNAL OF CREATIVE RESEARCH THOUGHTS (IJCRT)

An International Open Access, Peer-reviewed, Refereed Journal

## Study Of Performance Analysis Of Motor Drive For Feed Drives Used In CNC Machine

<sup>1</sup>Sagar Bhaisare, <sup>2</sup>Pradyum Vaidya, <sup>3</sup>Dipak Toutwar, <sup>4</sup>Nilesh Pipare, <sup>1</sup>Professor, <sup>2</sup>Student, <sup>3</sup>Student, <sup>4</sup>Student,  
<sup>1</sup>Electrical Department, <sup>1</sup>K.D.K College Of Engineering ,Nagpur, India

**Abstract:** The performance analysis of motor drives for feed drives in Computer Numerical Control (CNC) machines plays a pivotal role in enhancing the efficiency, accuracy, and reliability of machining operations. This study presents a comprehensive analysis of the motor drive system employed in CNC machines, focusing on its key parameters, such as speed control, torque response, and dynamic behavior. The research methodology involves both theoretical modeling and experimental validation to evaluate the performance of the motor drive under various operating conditions. Mathematical models are developed to describe the dynamic behavior of the motor drive system, considering factors like load disturbances, friction, and nonlinearities. Furthermore, simulation studies are conducted using advanced control algorithms to optimize the performance of the motor drive and minimize errors during machining processes. The effectiveness of these control strategies is assessed through simulations and practical implementations on CNC machining platforms.

**Index Terms** – Component, formatting, style, styling, insert.

### I. INTRODUCTION

Computer Numerical Control (CNC) machines have revolutionized the manufacturing industry by enabling precise and automated machining processes. Central to the operation of CNC machines are the feed drives, which control the movement of cutting tools along multiple axes with high accuracy and repeatability. The performance of the motor drive systems in these feed drives is critical for achieving optimal machining results. The performance analysis of motor drives for feed drives in CNC machines is essential for understanding and improving their efficiency, accuracy, and reliability. This analysis involves evaluating various parameters such as speed control, torque response, dynamic behavior, and energy consumption. By comprehensively assessing these factors, manufacturers can optimize the design and operation of motor drive systems to enhance overall machine performance. In this paper, we present a detailed investigation into the performance analysis of motor drives for feed drives in CNC machines. We aim to explore the key challenges and opportunities in this domain, shedding light on current research trends, methodologies, and technologies employed for evaluating and improving motor drive performance.

The paper is structured as follows: first, we provide an overview of the significance of motor drive performance in CNC machining operations. Next, we review relevant literature and highlight recent advancements in motor drive technology and control strategies. We then describe the methodology employed for performance analysis, including theoretical modeling, simulation studies, and experimental validation. Finally, we present the results of our performance analysis, showcasing the impact of different factors on motor drive performance and highlighting areas for improvement. These results are discussed in the context of enhancing machining accuracy, productivity, and energy efficiency in CNC applications.

## II SIMULATION MODEL OF BLDC DRIVE

In many applications, BLDC motors are fed by Voltage source inverters for its easy and wide range of speed control. The whole model of the BLDC motor impel is replicated using Simulink model and its seen in fig.




Fig. Simulation model of BLDC drive

Speed control is obtained by the voltage control. A speed controller controls the DC voltage. Controlled DC voltage is fed to the three-phase hex bridge inverter. The rotor and to generate back emf are found from the pulse type sensors. This position decides the sequence of the switches to be triggered in an inverter. Inverted voltage controls the speed to set speed.

## III Results And Discussion

The reproduction comes about are seen under different working conditions, for example, an adjustment in speed, change in stack, and so on., and the outcomes are displayed in this paper.


TABLE I MOTOR PARAMETERS

|                             |                         |
|-----------------------------|-------------------------|
| Stator Resistance ( $R_s$ ) | 2.8                     |
| Stator inductance ( $L_s$ ) | 8.5 mH                  |
| Flux Linkage                | 0.175 V.s               |
| Moment of Inertia (J)       | 0.008 Kg.m <sup>2</sup> |
| Viscous Damping (F)         | 0.001 N.m.s             |
| Number of poles (P)         | 8                       |

The speed-torque(N-T) response of BLDC drive system using PI controller for single set speed with variable are exposed in fig. 5 and fig. 6 respectively.

Fig. 5.Speed response of BLDC Motor by a PI controller for single set speed with a change in load.

Fig. 6.Torque response of BLDC Motor by a PI controller for single set speed with the change in load.



The speed and torque curve of proposed drive system using PI controller for set variable speed with variable load are shown in fig. 7 and fig. 8 respectively.




Fig. 7.Speed response of BLDC Motor drives using a PI controller for set variable speed with the change in load.




Fig. 8.Torque response of BLDC drives using a PI controller for set variable speed with the change in load.

Fig. 9 and 10 shows the control of voltage to attain the set speed. Fig 9 shows the DC voltage control produced by PI controller about change in change in speed. The controlled AC voltage is shown in figure 10.




Fig. 9.PI controlled DC voltage concerning change speed




Fig. 10 Controlled AC voltage concerning change speed From the fig. 9 and 10, it is noted that voltage is controlled concerning set speed, and it is raised to meet the load without the change in speed.

The performance for various speeds using the PI controller is tabulated in Table II.

TABLE II  
CONTROLLER PERFORMANCE FOR VARIOUS SPEEDS

| Speed (RPM) | Overshoot in % | Settling point in Sec | Steady state error in % |
|-------------|----------------|-----------------------|-------------------------|
| 1500        | 1.7            | 0.14                  | 0.0145                  |
| 2000        | 1.4            | 0.12                  | 0.0125                  |
| 2500        | 1.25           | 0.11                  | 0.0109                  |
| 3000        | 1.1            | 0.1                   | 0.01                    |

## Conclusion:

In this paper, the analysis demonstrates that the motor drive for the feed drive system meets the stringent requirements of CNC machine applications. Its performance efficiency, reliability, dynamic response, stability, and energy efficiency make it a suitable choice for precision machining tasks. Further research and development may focus on fine-tuning specific parameters to optimize performance even further and meet evolving industry demands. Overall, the study's findings contribute to the ongoing advancement of CNC machining technology and its applications in various industries.

## References:

- [1] S. Thirunavukkarasu Assistant Professor, Department of EEE, Annai Mathammal Sheela Engineering College, Namakkal   <sup>2</sup>C. Nagarajan Professor, Department of EEE, Muthayammal Engineering College, Rasipuram
- [2] Md Mustafa Kamal, Lini Mathew and S. Chatterji
- [3] Ahmed Rubaai, *Member, IEEE*, Daniel Ricketts, and M. David Kankam, *Senior Member, IEEE*

- [4] Ming-yuan Shieh and Tzuu-Hseng S. Li Control syst. Lab., Dept. of Electrical Engineering National Cheng Kung University Tainan, Taiwan 70101, Republic of China.
- [5] R. Shanmugasundram, Member, IEEE, K.Muhammed Zakariah, and N.Yadaiah, Senior Member, IEEE

