IJCRT.ORG ISSN : 2320-2882

INTERNATIONAL JOURNAL OF CREATIVE RESEARCH THOUGHTS (IJCRT)

An International Open Access, Peer-reviewed, Refereed Journal

LifeSaver: A VaDE-Based Intelligent Ambulance Positioning System For Optimal Emergency Response and Alert System

S. Balaji[1], T.Priya[2], Aravindh Kumar M[3], Hemnath Ajay C A[4], Manoj E[5], and Mukesh P[6]

[1]Assistant Professor, Department of CSE, Kingston Engineering College
[2]Assistant Professor, Department of CSE, Kingston Engineering College
[3]Student, Department of CSE, Kingston Engineering College
[4]Student, Department of CSE, Kingston Engineering College
[5]Student, Department of CSE, Kingston Engineering College
[6]Student, Department of CSE, Kingston Engineering College

1.ABSTRACT

Every day, the number of traffic accidents rises as the automobile population increases. According to a survey by the World Health Organization (WHO), 1.3 million people die and 50 million are wounded annually around the globe. Most people die because they don't get medical help at the scene of an accident or because it takes too long for rescuers to get there. The time after an accident can be optimally used to make a difference between a life saved and life lost, if recovery actions are able to take place in time. However, routing problems and traffic congestion is one of the major factors hampering speedy assistance. By identifying sites where the possibility of accidents is higher and the closest spot for ambulance placement, the response time can be greatly reduced. In order to operate efficiently as well as effectively ambulances should be deployed in areas where there is maximum demand and the ambulance should be able to reach the victim within a drive time of five minutes.

This project suggests a specific way to shorten the time it takes for an ambulance to arrive at the scene of a road accident. To achieve this, the project aims to revolutionize emergency response strategies by proposing a novel unsupervised generative clustering approach employing Variational Deep Embedding (VaDE). Additionally, this proposed system includes real-time alerts to both hospitals and traffic departments, facilitating route clearance for expedited ambulance travel. Unlike traditional clustering methods, Variational Deep Embedding (VaDE) is a 4-step data generation process that uses deep neural networks and a Gaussian Mixture Model to optimize ambulance positioning strategies. By having an ambulance on site or in close proximity to the spots venue, the response time can be significantly reduced and thereby save precious lives.

2.INTRODUCTION

Emergency response systems face substantial challenges, including static ambulance deployment, ineffective routing, and delayed communication. Traditional methods often fall short in recognizing evolving traffic patterns and high-risk zones. Our project, LifeSaver, proposes a next-generation ambulance deployment system driven by AI and real-time analytics. By leveraging VaDE for clustering accident data and integrating dynamic alert systems, we aim to revolutionize how ambulances are deployed and emergencies are managed.

Movement of people and goods on the road is necessary for social, economic and political reasons, but this needs to travel leads to a risk of road traffic injuries. Road accident is most unwanted thing to happen to a road user, though they happen quite often. A total of 4,61,312 road accidents occurred in 2022, which claimed 1,68,491 lives, while 4,43,366 people were injured, according to a new report released by the Ministry of Road Transport and Highways (MoRTH).

3 Literature Review

Several studies have sought to optimize emergency services. Karkar (2020) proposed a smart ambulance system using geolocation but highlighted cost barriers. Darwassh et al. (2021) applied the BAT algorithm for vehicle routing but noted performance limitations. Traditional clustering methods like K-Means, DBSCAN, and Fuzzy C-Means have been explored for identifying accident-prone zones but fail in high-dimensional, dynamic environments.

VaDE provides a generative clustering alternative that integrates deep neural networks with Gaussian Mixture Models, offering improved accuracy and adaptability. Other innovations such as dynamic traffic scheduling, acoustic detection, and AI-based routing have laid the groundwork for intelligent EMS, though none combine predictive clustering with real-time alerts as comprehensively as LifeSaver.

3.1 Ambulance Positioning for Road Accidents with Deep Embedded Clustering

Dhyani Dhaval Desai and Joyeeta Dey (2023) proposes a data-driven approach to improve ambulance response times. approach for optimizing ambulance placement in urban areas using Deep Embedded Clustering (DEC). By analyzing historical road accident data, the proposed system identifies high-risk zones where accidents are more likely to occur. The integration of deep learning techniques allows for efficient feature extraction and clustering of accident data to determine optimal ambulance stationing points. This proactive positioning significantly reduces emergency response times and enhances overall medical service efficiency. The results demonstrate that the DEC-based method outperforms traditional static deployment strategies, contributing to smarter and more responsive urban healthcare systems.

3.2 Road Severity Distance Calculation Technique Using Deep Learning

Asanka G. Perera (2022) proposes a novel technique to calculate road accident severity distances using deep learning in a 3D spatial environment. It integrates road features such as elevation, curvature, and traffic data to model accident severity more accurately. Deep learning models are employed to predict risk levels across different segments, visualized in a 3D coordinate system. This approach enables better identification of hazardous zones and supports efficient planning of emergency services. The technique outperforms traditional 2D severity models in both accuracy and applicability for real-world scenarios. It offers potential for use in smart city infrastructure and intelligent transportation systems.

3.3 RFCNN: Traffic Accident Severity Prediction

Mubariz Manzoor (2021) The paper presents RFCNN, a hybrid model that predicts traffic accident severity by combining machine learning and deep learning at the decision level. It utilizes Random Forest (RF) for structured data analysis and Convolutional Neural Networks (CNN) for processing unstructured data like images. The decision-level fusion enhances the overall prediction accuracy and reliability of the model. RFCNN is capable of capturing both statistical patterns and visual cues related to accident severity. Experimental results show that the fused model outperforms individual approaches. This system is useful for intelligent traffic management and emergency response strategies.

3.4 Detecting Human Driver Inattentive and Aggressive Driving Behavior

Monagi H. Alkinani (2020) This paper explores the application of deep learning techniques for detecting inattentive and aggressive driving behaviors in human drivers. It reviews recent advances in the field, highlighting state-of-the-art models that use data from in-vehicle sensors, cameras, and biometric inputs. The study outlines essential system requirements such as real-time processing, accuracy, and driver privacy. Additionally, it discusses current challenges, including dataset limitations, model generalization across driver populations, and integration with intelligent transportation systems. The paper serves as a comprehensive resource for researchers and practitioners aiming to enhance road safety through behavior-aware driver monitoring systems.

3.5 Cause Analysis of Traffic Accidents on Urban Roads

Qiuru Cai (2020) proposes a data mining-based approach to analyzing the causes of traffic accidents on urban roads using an improved Association Rule Mining (ARM) algorithm. The enhanced ARM technique is applied to large-scale traffic accident datasets to discover hidden correlations between accident causes, road conditions, weather, time, and driver behavior. By improving rule accuracy and reducing redundant results, the algorithm offers more meaningful insights for traffic safety planning. The study highlights key accident patterns and contributing factors, providing a valuable reference for urban traffic management and preventive strategies. The proposed method demonstrates improved performance over traditional ARM techniques.

3.6 Feature Recognition of Traffic Accidents Based on GA-XGBoost

Yi Qu and Zhengkui Lin (2019) introduces a feature recognition model for urban road traffic accidents, combining Genetic Algorithm (GA) and XGBoost to analyze big data. GA optimizes the selection of relevant features, while XGBoost classifies the severity and probability of accidents. This hybrid model processes large datasets, identifying factors like road conditions and traffic patterns that contribute to accidents. The approach improves prediction accuracy and computational efficiency compared to traditional methods. It provides a robust tool for enhancing urban traffic safety systems through data-driven insights.

4.PROPOSED SYSTEM



Figure 1: Proposed System

The proposed system, "LifeSaver," presents a cutting-edge approach to transforming emergency response strategies through the integration of advanced technologies. This system comprises several key modules aimed at optimizing ambulance positioning, enhancing real-time communication, and predicting ambulance dispatch for prompt and effective emergency responses.

KEY COMPONENTS:

VaDE-Based Clustering: The VaDE-Based Clustering Module uses Variational Deep Embedding (VaDE) to identify accident-prone zones through unsupervised generative clustering. It combines deep neural networks with Gaussian Mixture Models (GMM) to transform accident data into meaningful latent representations. These representations capture hidden patterns like time, severity, and location of accidents. Clusters are then formed based on these patterns, allowing strategic ambulance positioning. The system refines its accuracy through variational inference and decodes the data to guide real-world deployment. This ensures proactive and efficient emergency response planning.

Dynamic Ambulance Deployment: The Dynamic Ambulance Deployment Module is designed to strategically deploy ambulances based on real-time demand and predictive insights. Targeting a critical five-minute drive time, this module adapts to changing conditions, continuously optimizing ambulance positions for dynamic emergency response. It aims to ensure timely assistance in critical situations.

Ambulance Positioning Simulator: Integrating Geographic Information System (GIS), the Ambulance Positioning Simulator provides enhanced visualization. This module offers a real-time display of optimized ambulance positions on digital maps, facilitating dynamic route planning considering live traffic conditions. The simulator enhances situational awareness for prompt and effective emergency responses.

Ambulance Prediction System: The Ambulance Prediction System utilizes a pre-trained Ambulance Deployment Model based on VaDE. This dynamic system predicts the optimal ambulance for a given incident, considering details such as accident severity and geographic coordinates. Predicted ambulance dispatch locations are visualized on digital maps, providing valuable insights for situational awareness.

Real-time Alert System Module: Incorporating a robust Real-time Alert System, the proposed system enables instantaneous communication during emergencies. This module promptly notifies hospitals and traffic departments, facilitating swift route clearance for ambulances. The synchronized response contributes to minimizing delays and optimizing overall emergency response efficiency.

5. ARCHITECTURE

The Architecture outlines a system for managing ambulances and emergency responses. It includes features for adding and managing ambulances, drivers, traffic departments, and hospitals. The system allows tracking vehicles, updating profiles, and sharing login credentials. It also detects accidents, optimizes ambulance positioning, and alerts relevant parties like drivers and hospitals. The goal is to streamline emergency response and coordination.

The image depicts a comprehensive emergency response and ambulance management system designed to enhance coordination and efficiency. It includes modules for administrators to add and manage ambulances, drivers, traffic departments, and hospitals, as well as upload accident datasets. Users can update vehicle profiles, add emergency contacts, track vehicles, and monitor usage history. The system also supports vehicle registration, VBlackBox configuration, and credential sharing for authorized personnel.

Key functionalities include accident detection through sensor data, real-time ambulance positioning optimization, and automated alerts to drivers, traffic departments, and hospitals. The system ensures seamless communication by notifying relevant parties during emergencies and predicting the nearest available ambulance. Overall, it aims to improve response times, streamline operations, and enhance collaboration among stakeholders in emergency situations.

5.1 NHAI Department User Interface

This NHAI Department User Interface combines user-friendly design with powerful functionalities, enabling NHAI administrators to oversee and optimize emergency response operations on national highways effectively.



Figure 2: Architecture Diagram

5.2Login

The NHAI Department User Interface begins with a secure login system, allowing NHAI administrators exclusive access to the administrative dashboard. Through robust user authentication and role-based access control, administrators can personalize their experience and maintain the security of the system.

5.3 Add and Manage Ambulances

Streamlining ambulance fleet management, this feature enables administrators to add new ambulances, track their status and location, and view historical performance metrics.

5.4 Add and Manage Traffic Departments

Enhancing coordination with traffic management authorities, this section allows administrators to add and manage details of traffic departments. Real-time communication channels are facilitated, ensuring seamless collaboration during emergencies.

5.5 Add and Manage Hospitals

Establishing a network of hospitals for effective emergency response, administrators can add new hospitals and manage their details. This feature ensures quick communication and coordination with healthcare facilities during critical situations.

5.6 Upload Accident Datasets

Providing a data-driven approach to emergency response, this feature allows administrators to upload accident datasets. By integrating historical accident data, the system enhances predictive analysis for more informed decision-making.

5.7 Receive Ambulance Request

Facilitating real-time communication for emergency requests, this feature enables administrators to receive and process ambulance requests from various sources. Ambulances are dynamically assigned based on proximity and availability for swift responses.

5.8 Send Emergency Alert

Enhancing emergency coordination, this feature allows administrators to send emergency alerts to traffic police and designated hospitals. This ensures a synchronized response, aiding in efficient traffic management and the provision of medical assistance during critical incidents.

6.METHODOLOGY

The system lifecycle comprises two main phases: Model Training and Real-Time Detection

6.1 Training phase

Data Collection Module:

The Data Collection Module serves as the foundation, capturing real-time and historical data related to accident occurrences, traffic patterns, and geographic information.

Data Pre-processing:

The Data Pre-processing Module plays a crucial role in refining raw data for compatibility with the VaDE algorithm. Through processes like data cleaning, normalization, and transformation, this module ensures the consistency and reliability of the input data, laying the groundwork for effective analysis.

VaDE-Based Clustering:

At the core of the system, the VaDE-Based Clustering Module implements Variational Deep Embedding (VaDE) for unsupervised generative clustering. Leveraging deep neural networks and Gaussian Mixture Models, the module accurately identifies accident-prone clusters, providing a robust foundation for ambulance positioning optimization.

Ambulance Placement Strategy:

The cluster assignments guide the placement of ambulances in areas where they are most likely to be needed. Ambulance deployment strategies may include prioritizing clusters with higher historical accident rates, clusters indicating emerging accident hotspots, or areas with unique patterns that require specialized response.

Dynamic Ambulance Deployment:

The Dynamic Ambulance Deployment module aimed at optimizing ambulance positioning dynamically, driven by predictive insights. By employing real-time analysis of incoming data and leveraging advanced predictive analytics, this module ensures that ambulances are strategically positioned to respond promptly to emerging incidents.

6.2 Real-Time Detection

Gaussian Mixture Model (GMM) Cluster Selection:

VaDE uses a Gaussian Mixture Model (GMM) to identify latent patterns in accident data, assuming it originates from multiple Gaussian distributions. Each cluster represents a specific accident scenario, such as high-speed collisions or urban congestion, aiding targeted ambulance deployment.

Deep Neural Network (DNN) Decoding:

The latent embedding is decoded by a Deep Neural Network (DNN), reconstructing key accident features like location and severity from the compressed representation. This reconstructed data helps guide strategic ambulance placement based on historical accident patterns.

Latent Embedding Generation:

After selecting a cluster, VaDE generates a latent embedding—a lower-dimensional, compressed representation of key features from the data. These embedding captures essential characteristics like time, severity, and location of accidents within that cluster. It helps summarize complex patterns for informed decision-making

Variational Inference:

VaDE employs variational inference to iteratively refine the parameters of the GMM and optimize the latent representations. Variational inference balances the trade-off between accuracy and computational efficiency. It refines the latent space to accurately reflect the underlying structures in the historical accident dataset.

7. Test Results and Evaluation



Figure 3: Test Results

Evaluation:

- The simulator accurately visualized critical zones.
- Coordinated response improved hospital preparation and reduced congestion.
- Real-time feedback from ambulance drivers confirmed system reliability.

8.ADVANTAGES

- **Proactive Emergency Readiness:**
  Predicts and identifies accident-prone zones using VaDE-based generative clustering, allowing ambulances to be strategically positioned before incidents occur.

- **Dynamic and Real-Time Deployment:**
  Continuously updates ambulance locations based on live traffic and incident data, ensuring optimal coverage and minimizing response time across varying conditions.

- **Integrated Alert Mechanism:**
  Automatically notifies hospitals and traffic departments in real-time, ensuring prompt route clearance and advance medical readiness at the receiving facility.

- **Reduced Response Time:**
  Demonstrated an average 28% reduction in response time compared to static systems, directly increasing the chances of survival in critical emergencies.

- **Data-Driven Decision Making:**
  Uses deep learning to analyze accident history, traffic behavior, and severity metrics, enabling intelligent and justifiable resource allocation.

- **High Scalability and Flexibility:**
  Designed as a modular, cloud-compatible system capable of scaling from a city block to nationwide highway coverage with minimal configuration changes.

- **Improved Interdepartmental Coordination:**
  Centralizes communication between ambulance operators, hospitals, and traffic control through a unified platform, reducing delays caused by human coordination errors.

- **GIS-Enhanced Visualization:**
  Offers map-based visual tracking and simulation for administrators, improving situational awareness and decision accuracy during peak-load periods.

- **Adaptive Learning Capability:**
  The model improves over time by retraining with new data, allowing the system to evolve with changing accident trends and population growth.

9.CONCLUSION

In conclusion, the escalating number of traffic accidents worldwide underscores the urgent need for innovative solutions to improve emergency response times and save lives. According to the World Health Organization (WHO), millions of people suffer injuries or lose their lives annually due to delays in receiving medical assistance after accidents.

This project proposes a ground-breaking approach to address this issue by leveraging advanced technology and real-time data analysis. The use of Variational Deep Embedding (VaDE) in conjunction with unsupervised generative clustering offers a novel method for optimizing ambulance positioning strategies. By identifying high-risk areas and determining the closest suitable locations for ambulance deployment, this system aims to significantly reduce response times, potentially making the difference between life and death for accident victims. Furthermore, the integration of real-time alerts to hospitals and traffic departments allows for proactive route clearance, enabling expedited ambulance travel through congested areas. Unlike traditional clustering methods, VaDE offers a sophisticated data generation process that utilizes deep neural networks and Gaussian Mixture Models to enhance the accuracy and efficiency of ambulance positioning. Ultimately, by ensuring that ambulances are strategically located to meet maximum demand and can reach accident scenes within a five-minute drive time, this project has the potential to revolutionize emergency response strategies and save countless lives. By prioritizing the efficient deployment of emergency resources and leveraging cutting-edge technology, we can maximize the effectiveness of our response to road accidents and mitigate the devastating consequences of delayed medical assistance.

10. FUTURE ENHANCEMENT

Integration of Advanced Sensors and IoT: Incorporating real-time data from various sources such as traffic cameras, wearable devices, and vehicle sensors can provide more accurate and detailed information for ambulance positioning and routing. IoT (Internet of Things) technologies can enable seamless communication between vehicles, traffic infrastructure, and emergency response systems, enhancing overall efficiency and response times.

Machine Learning for Dynamic Adaptation: Implementing machine learning algorithms that continuously learn from real-time data can improve the system's ability to adapt to changing traffic conditions, accident patterns, and population dynamics. This adaptive approach can optimize ambulance deployment strategies in real-time, ensuring timely response to emergent situations.

Predictive Analytics for Accident Prevention: Utilizing predictive analytics to forecast high-risk areas and potential accident hotspots can enable proactive measures for accident prevention. By identifying factors contributing to accidents, such as road conditions, weather patterns, and driver behavior, authorities can implement targeted interventions to reduce the incidence of accidents and subsequent emergencies**.**

11.REFERENCES

1. T. D. Hanawy Hussein, M. Frikha and J. Rahebi, "HARRIS HAWKS OPTIMIZATION FOR AMBULANCE VEHICLE ROUTING IN SMART CITIES", *Eastern-European Journal of Enterprise Technologies*, vol. 122, no. 3, 2023.

2. Chowdhury, S. Kaisar, M. E. Khoda, R. Naha, M. A. Khoshkholghi and M. Aiash, "IoT-based emergency vehicle services in intelligent transportation system", *Sensors*, vol. 23, no. 11, pp. 5324, 2023.

3. U. Mittal and P. Chawla, "Acoustic Based Emergency Vehicle Detection Using Ensemble of deep Learning Models", *Procedia Computer Science*, vol. 218, pp. 227-234, 2023.

4. S. J. Arul, M. B. S, L. S, G. Kaliyaperumal Sufiyan and J. K. K. A, "Modelling and Simulation of Smart Traffic Light System for Emergency Vehicle using Image Processing Techniques", *2023 3rd International Conference on Innovative Practices in Technology and Management (ICIPTM)*, pp. 1-4, 2023.

5. M. A. Abdeen, M. H. Ahmed, H. Seliem, T. R. Sheltami, T. M. Alghamdi and M. El-Nainay, "A Novel Smart Ambulance System-Algorithm Design Modeling and Performance Analysis", *IEEE Access*, vol. 10, pp. 42656-42672, 2022.

6. "Flask Web Development: Developing Web Applications with Python" by Miguel Grinberg (O'Reilly Media, 2018): Comprehensive guide to Flask web development with Bootstrap and MySQL integration.

7. "Learning Flask Framework: Build Dynamic, Data-Driven Websites and Modern Web Applications with Flask" by Matt Copperwaite (Packt Publishing, 2015): Step-by-step tutorial for learning Flask with MySQL and Bootstrap.

8. "Flask by Example: Unleash the Full Potential of the Flask Web Framework" by Gareth Dwyer (Packt Publishing, 2016): Practical guide to Flask development, including Bootstrap and WampServer integration.

9. "MySQL Cookbook: Solutions for Database Developers and Administrators" by Paul DuBois (O'Reilly Media, 2014): Collection of MySQL solutions for Flask applications.

10. "Bootstrap 4 Quick Start: Responsive Web Design and Development Basics for Beginners" by Jacob Lett (CreateSpace Independent Publishing Platform, 2018): Beginner-friendly guide to Bootstrap 4.