

Design and develop an Drowsiness detection system for drivers using Arduino

Prof. Arjun joshi^[1], Rajesh .R^[2], Soundary. M ^[3], Sushmitha. S^[4], Namratha. Y .H^[5],

^[1,2,3,4]Student, Department of Electrical & Electronics Engineering, Vidya Vikas Institute of Engineering & Technology, Mysuru.

Abstract

The Worldwide, sleepiness and driver weariness play a major role in traffic accidents and fatalities. We have created an inventive Anti-Sleep Alarm system especially for drivers in order to solve this pressing problem. Advanced sensor technologies, and an intuitive design are combined by this system to efficiently identify and warn drivers when they are in danger of while operating a vehicle. The three main parts of the Anti-Sleep Alarm system are an alert mechanism, and the design of the Anti-Sleep Alarm system user-friendliness, ensuring that it is easy to use, comfortable to wear, and non-intrusive during normal driving conditions. It offers customization options to adapt to individual driver preferences and sensitivities.

Keywords:-

drowsiness detection, automated call receiving/declining system, accident detection, Tilt Sensor, Buzzer

INTRODUCTION

In modernism owing to hectic schedules it becomes very difficult to remain active all the time. Imagine a situation where a person is driving home from work, dead tired, facing all the challenges of the day. His hands are on the wheel and foot on the pedal but suddenly he starts feeling drowsy, his eyes start shutting and his vision blurs and before he knows it he's asleep. Falling asleep on the wheel can lead to serious consequences that may be accidents and people may even lose their lives. This situation is much more common than we notice and hence it is very important to counter this problem. So to address this issue we have come up with a Driver Anti-sleep device. This system alerts the user if he/she falls asleep at the wheel, thereby avoiding accidents and saving lives. This system is useful especially for people who travel long distances and people who are driving late at night.

The technique for detecting tiredness can identify drowsiness rapidly. The ability of the technology to distinguish between fatigue and a regular eye blink can stop a driver from falling asleep behind the wheel. The device functions effectively in both low light and while the driver is wearing glasses. The technology can determine if the eyes are closed or open during the monitoring. An alert is sent out when the eyes are closed for an extended period of time. The system's ultimate objective is to assess the driver's level of tiredness.

The driver's eye movements are used to detect tiredness. When the driver blinks, an alarm is set off to warn the driver and lower the speed of the car while also indicating a parking light. This will decrease the number of accidents and protect the driver and the vehicle.

OBJECTIVE

Alcohol detection sensor : Enhancing safety and preventing impaired activities by detecting alcohol levels in individuals. Primarily used in contexts such as vehicle operation, workplace safety, and public spaces to ensure compliance with alcohol-related regulations. Measures alcohol concentration, providing real-time monitoring and acting as a deterrent against impaired driving or other alcohol-related activity.

- **Safety Enhancement:** Improve road safety by preventing accidents caused by driver drowsiness.
- **Alert Mechanism:** Implement a reliable system to detect signs of drowsiness and promptly alert the driver.

Real-time Monitoring:

- Continuously monitor driver behavior .
- Create an intuitive and non-intrusive system that is easy for drivers to use and understand.
- **Customizable Sensitivity:** *Allow users to adjust the sensitivity of the system based on personal preferences and driving conditions.

LITERATURE SURVEY

1. P. Sandeep Chary, [2] S. Pranay, [3] N. Sai Kishore, [4] M. Ravi Kumar. The development of an anti-sleep alarm system for drivers is motivated by the need to address the serious issue of drowsy driving. Drowsy driving poses significant risks on the road, including accidents, injuries, and fatalities. Here's why they developed the system:
2. Adnanahmad. [2] Anjalishara [3] Asthasingh [4] Sumantha Chatterjee [5] Apurba. Based Anti Sleep Alarm System. Paul. With the predictions of the World Health Organization (WHO) that the number of deaths due to traffic accidents will be around 2 million in the next 15 years. Researchers nowadays are paying more attention in preventing traffic accidents and lower the number of occurred fatalities. The purpose of this work is an attempt to prevent traffic accidents due to fatigue or sleepiness of the driver.

3. Mohammed Moinulla Shariff, Syed Abu Anas, Faizan Shariff N, Ms. Manasa E, Ms. Gloriya Priyadarshini. There has been a very large increase in road accidents due to the drowsiness of drivers while driving which leads to enormous fatal accidents. The driver loses control when he falls asleep which leads to an accident.

METHODOLY

The primary objective of this project is to create a robust and cost-effective system that detects signs of drowsiness or inattention in a driver and promptly alerts them to stay awake and focused. The Anti-Sleep Alarm system is designed to enhance driver safety during long journeys and late-night drives.

1. Required software

1) ARDUINO IDE

2. Required hardware

- 1) IR sensor
- 2) Arduino
- 3) Buzzer
- 4) 5v Relay module
- 5) 1 watt red LED
- 6) Motor
- 7) Wheel
- 8) 9v battery
- 9) 9v Adaptor
- 10) Relay
- 11) 16x2 LCD display




Fig. of Circuit

diagram Functions of the Components:

IR SENSOR: It is an electronic device used to detect some objects near-by surroundings. It detects the movement of an object. In this project, we used an IR sensor as an input to detect the moment of eye-blink.

ARDUINO UNO SMD: The Arduino Uno SMD is

a microcontroller board based on the ATmega328. It has 20 digital input/output pins (of which 6 can be used as PWM outputs and 6 can be used as analog inputs), a 16MHz resonator, a USB connection, a power jack, an in-circuit system programming (ICSP) header, and a reset button.

BUZZER: A piezo Buzzer is used to get output of the executed program and any error occurs in process an immediate buzzer is generated.

16x2 LCD Display: Displays essential information such as system activated driver sleep mode alert alcohol detected in system.

Procedure: The project uses the eye blink sensor which consists of IR sensor. There are two sections in IR sensor. The IR transmitter is used to transmit the infrared rays to the eyes. The IR receiver is used to receive the reflected infrared rays of the eye. If the eye is closed then the output of the IR receiver is high; otherwise, the IR receiver output is low. And if the eye is closed more than 3 sec it activates an alarm which in turn wakes the driver.

Function of the Components:-

IR SENSOR: It is an electronic device used to detect some objects near-by surroundings. It detects the movement of an object. In this project we used IR sensor as an input to detect the moment of eye-blink.

ARDUINO UNO SMD: The Arduino Uno SMD is

a microcontroller board based on the ATmega328. It has 20 digital input/output pins (of which 6 can be used as PWM outputs and 6 can be used as analog inputs), a 16MHz resonator, a USB connection, a power jack, an in-circuit system programming (ICSP) header, and a reset button.

BUZZER: A piezo Buzzer is used to get output of the executed program and any error occurs in process an immediate buzzer is generated.

LITERATURE REVIEW AND COMPARISON TABLE

Sr.	Reference	Strong point	Weakpoint
1	P.Sandeep Chary,[2] S.Pranay,[3] N.Sai Kishore,[4] M.Ravi Kumar. The development of an anti-sleep alarm system for drivers 2023	This system uses buzzer whenever the driver is in sleep mode. The buzzer will alert	They have not installed an alcohol detection sensor which helps in detecting whether the driver is drunk or not.
2	Mohammed Moinulla Shariff, Syed Abu Anas, Faizan Shariff N, Ms. Manasa E, Ms. Gloriya Priyadarshini. Driver anti-sleep device 2022	This device can be used very easily. It is very comfortable.	Their project does not have a system that would automatically slow down the car if the driver is drunk or in sleep mode,
3	Adnanahmad.[2] anjalishara [3] asthasingh[4] sumantha Chatterjee. An Sleep Alarm system 2020	Drivers Sleep mode alert sharply.	Their system is dependent on battery cell.

RESULT

Introduction The "Result and Discussion" section of a project report or research paper typically presents and analyses the findings of the study.

6.2 System Development Platform The system development platform for an anti-sleep alarm system for drivers can vary based on the specific requirements and preferences of the project. By selecting the appropriate development platform and tools, developers can create an effective and reliable anti-sleep alarm system for drivers.

1) Microcontrollers: Microcontrollers such as Arduino, Raspberry Pi, or ESP32 can be used as the main processing unit for the system. These platforms offer a range of features and capabilities suitable for interfacing with sensors and controlling the alarm system.

2) Development Environment: The Arduino IDE, PlatformIO, or other integrated development environments (IDEs) can be used for writing and uploading code to the microcontroller. These environments provide tools for code editing, compilation, and debugging.




Fig. final Result of the Project

2. CONCLUSION

The analysis and design of driver drowsiness detection and alert system is presented. The proposed system is used to avoid various road accidents caused by drowsy driving. This project involves avoiding accidents due to unconsciousness through eye blink. Here, eye blink sensor is fitted in a transparent spectacle which the driver needs to wear while driving the vehicle. When the driver loses consciousness, then an alert is sent to the driver through a buzzer to prevent vehicle from accident. In this paper, we will study the reviews of the previous papers and get the references for the further process.

REFERENCES

- [1] Mohammed Moinulla Shariff, Syed Abu Anas, Faizan Shariff N, Ms. Manasa E, Ms. Gloriya Priyadarshini
- [2] Adnanahmad. anjalisharaasthasingh [sumantha Chatterjee Apurba] Based Anti Sleep
- [3]. P. Sandeep Chary, 2. S. Pranay, 3. N. Sai Kishore, 4. M. Ravi Kumar Ananti sleep alarm system.

[4] https://www.academia.edu/34469825/A_Survey_Paper_On_Drowsiness_Detection_and_Alarm_System_for_Drivers.

[5] D. Jayanthi, M. Bommy. : Vision-based Real-time Driver Fatigue Detection System for Efficient Vehicle Control. In: International Journal of Engineering and Advanced Technology (IJEAT) ISSN: 2249 - 8958, Volume-2, Issue-1, October 2012.

[6] Amol M. Malla, Paul R. Davidson, Philip J. Bones, Richard Green and Richard D. Jones, Automated Video-based Measurement of Eye Closure for Detecting Behavioral Microsleep presented at 32nd Annual International Conference of the IEEE EMBS Buenos Aires, Argentina, August 31 -- September 4, 2010.

[7] P. D. Minns, C Programming for the PC the MAC and the Arduino Microcontroller System. Author House, 2013 [8] <https://nevonprojects.com/driver-anti-sleep-device/>

[9] <https://youtu.be/OJRTLPR-dcE> [10] <https://images.app.goo.gl/T6zcRbWQ4igyZ6kd6> <https://www.researchgate.net>

[11] Md. Yousuf Hossain, Fabian Parsia George, "IoT Based real time drowsy driving detection, 2018, Bangkok, Thailand.

[11] Hitendra Garg, Drowsiness Detection of driver using CV application, 2020, Mathura, India.

[12] Danghui Liu, Peng Sun, Yanqing Xiao, Yunxia Yin, Drowsiness Detection Based on Eyelid Movement, 2010, Wuhan, China.