



Information Storage Optimization Framework Employing An Advanced Annealing Algorithm System

¹Tejal Purani, ²Siddhi Mehta

¹Assistant Professor, ² Assistant Professor

¹Computer Engineering,

¹Swaminarayan University, Kalol, Gujarat, India

Abstract: There exists a challenge regarding both longitudinal and horizontal penetration among multi-level Information centers within the smart grid information transmission Web. this report introduces amp information store optimization Check bespoke for forward grids utilizing associate in nursing increased faux tempering Procedureic rule and stacked upon the hadoop structure. By leveraging the Characteristics of distributed storage inherent in cloud computing the Information associated with the smart grid can be viewed as a task-oriented Informationset. the Information program of the forward gridiron is conceptualized arsenic amp planar Structure representing amp appeal of different broadcast information centers. An analysis of smart grid Information over time was conducted to identify the dependencies between task sets and Information sets. amp possible Check was developed founded along these dependencies inch alignment with current information infection scenarios inside the force gridiron. This Representation Eased the calculation of the optimal transmission correspondence between each Information set and its respective Information centre. the increased faux tempering Procedureic rule addresses the long and level Understanding Problems among the multi-level information centers. In the Method of generating new Answers the Grey Wolf Procedure serves as a guiding mechanism for identifying the optimal Answer. this read Combined present line information and computational store Supplys inside the forward gridiron to arise amp possible Check that delineates the relationships betwixt information centers and information sets. The optimal distribution of the Information set was Calculated and the resulting Information set was stored on a distributed physical disk. different arithmetical examples were engaged to value the Productivity and constancy of aggregate Procedures thereby collateral the advantages of the better Procedureic rule which was foster substantiated done Representation

Index Terms - Internet Of Things, Big Data, Cloud Computing, Data Managing.

I. INTRODUCTION

The advancement of smart grids is associated with a significant surge in grid information Information. conventional methods of information Methoding preponderantly bank along collateral or broadcast computing which necessitates dear store and computational Supplys arsenic good arsenic the good and coherent allotment and breakdown of different gridiron information tasks [1-3]. Observations from the construction and operation of smart grids reveal that the diverse types of information Produced within the grid exhibit a broad distribution varying Effectiveness requirements and differing Methoding frequencies. addressing these challenges the prompt and orderly career reckoning psychoanalysis Representation optimization plan decision-making and store of force unit information has combined arsenic amp important effect inch the evolution of forward grids [4-6]. To Improve the Productivity and quality of information management and storage [7,8] it is essential to conduct thorough research on cloud-based smart grid information platforms optimizing their specific Layout and construction [9,10]. in addition the forward gridiron Information infection net exhibits amp long Structure The Problem of horizontal penetration among

multi-level Information centers is addressed in references [11,12]. this report investigates the information store optimization Check for forward grids utilizing associate in nursing increased faux tempering Procedureic rule inch alignment with the gray savage Procedureic rule inch fall of the particular characteristics of information Answers inside the force gridiron complete framed inside the circumstance of hadoop structure

II. LITERATURE ASSESSMENT

Cloud computing Tech employs distributed storage Answers to address the extensive Information storage needs within the grid while also facilitating redundant storage to Improve the reliability of Information storage [13,14]. for different types of Information inside the forward gridiron unit obscure computing information direction engineering expeditiously handles information without necessitating condition of differences inch case or operation requirements [15,16]. Leveraging virtualization Tech cloud computing offers diverse service Representations with a range of abstract Supplys effectively integrating the computing Supplys of the power grid with multiple Information services. the authors of amp documented read render right and general information back for effective check and line systems done imagination consolidation and joint thereby enhancing the effective Productivity of the force gridiron [30, 31]. also utilizing the cloud computing [32] information platform potential Problems in power grid operations are promptly identified and rectified ensuring the safe and reliable Roleing of the smart grid. draft along the up kubernetes flock direction unit and stevedore containerization Usement engineering different read proposes amp flock unit structure adequate of real-time active grading [33].

A robust dependable and environmentally friendly shared computing platform has been developed and successfully Applied within the General Dispatching of the South China power grid. the authors of [34] incorporate bound computing with obscure computing to make amp collaborative cloud-edge computing frame. They introduce a novel centralized-distributed joint control Representation aimed at establishing the physical Structure of the power Internet of elements leveraging cloud-edge collaboration. inch [35] the authors Check the sources of tractability inch information centers from different profane and spacial perspectives. The authors of [36] present a Hadoop-based framework Laid out for the synchronous harmonic extensive Information analysis of distribution Webs. this frame Improves the Methoding of sympathetic information relevant to store and advance search utilizing great information technologies. It incorporates a large matrix multiplication Procedure tailored for MapReduce programming Representation Answers specifically addressing harmonic state estimation challenges during the Information Methoding phase. the sympathetic aberration calculations founded along mapreduce are dead arsenic break of associate in nursing advance sympathetic psychoanalysis. Through extensive numerical investigations the characteristics of the proposed Procedure are scrutinized confirming the efficacy of the framework. amp important factor of obscure computing engineering is obscure store which get run to exuberant use of store place spell maintaining information dependability. also inappropriate Information storage locations may result in increased Web latency adversely affecting the Operator Encounter.

III. METHODOLOGY

3.1 Integration of Diverse Supply

The initial step in developing the information platform involves the Methoding of diverse Supplys as the primary Goal of the platform's Information collection Roleality is to address these varied Supplys [15]. different Supplys develop from aggregate modules inside the forward gridiron unit whether they arise from disparate subsidiaries or lie of different types of equipment or devices of the like family [16]. Such diversity results in considerable Information dispersion and decentralization creating a Complicated and challenging environment for sharing and connectivity. to undertake these Problems the Information program frame planned inch this report aims to consolidate complete types of broadcast unit Supplys onto amp incorporate information program done amp iron information direction unit. This approach enables efficient and reliable Methoding and analysis of relevant Information in accordance with the service requirements specified by the system and the Operator interactive devices. the consolidation frame for different Supplys is shown in figure 2.




Figure 2. Combination of the Heterogeneous resources

3.2 Improved Procedure

Hadoop serves as a specialized tool for high-speed Information Methoding analysis and cloud computing storage. it encompasses amp general range of information Methoding subprojects and has the capacity to run severally of the obscure computing unit for job Effectiveness [17,18]. The entire platform continuously collects transmits stores and Methodes Information related to the power grid. away leverage the broadcast store characteristics of obscure computing this report introduces associate in nursing optimization Check for information store inch forward grids which is organic into cardinal clear stages:

- Revolutionizeing smart grid Information into a task-oriented Informationset;
- conducting level Methoding of the forward gridiron Information program and representing it arsenic amp appeal of aggregate broadcast information centers;
- cardinal. Recognizing that many mapping relationships within the smart grid are relatively stable the smart grid Information over a specific period can be Examined to determine the dependencies between the task set and the Information set;
- founded along the known dependencies betwixt the job lot and the information appeal amp possible Check is developed integration current information infection from the force gridiron. An Smart Procedure is then employed to Calculate the optimal transmission correspondence between each Information set and the respective Information centre.

The smart grid's information transmission Web faces challenges related to both vertical and horizontal integration among various Information centers. this report addresses these challenges away employing associate in nursing increased faux tempering Procedureic rule bespoke to the particular information characteristics inside the force gridiron. also the Grey Wolf Procedure is utilized to Produce new Answers. it is renowned that the intrinsic haphazardness of the faux tempering Procedureic rule get run to hyperbolic computational demands notably once treatment sound information volumes. However by leveraging the new Answers Produced by the Grey Wolf Procedure the number of iterations required during the problem-solving Method is minimized thereby enhancing the overall Productivity of the Answer. In the context of a Hadoop system with b queues where each queue has the capacity to handle a single job the time Role for executing each task is denoted as $t(a,b)$. the sentence inevitable for job culmination is distinct arsenic follows:

$$T_a = \min \sum_a^a = 1,2, \dots, n t_{a,b}] (b = 1,2, \dots, m)$$

In this context let m represent the number of queues. the Procedureic rule incorporates associate in nursing like image physical fitness restraint accenting both amp cut mean job employment sentence and amp reduced number job culmination sentence. When defining the two fitness Roles the average duration of the completed tasks within this queue can be expressed using the following formula:

$$P(t) = \frac{\sum_a^a = 1,2, \dots, n t_{a,b}}{a}$$

Here n is jobs number.

Another function is as follows:

$$Q(t) = \frac{1}{t_{(a,b)}}$$

The impartial function is available:

$$S = \alpha P(t) + \beta Q(t)$$

here α and β both are the adaptive adjustment coefficient.

In this paper the exponential annealing method which is the most commonly utilized and readily comprehensible approach within the annealing Procedure is employed as illustrated in the subsequent formula

$$T_k = \mu T_{k-1} - 1$$

In this context T_k represents the Information from the k th iteration while m denotes the total number of iterations. the gray savage Procedureic rule is engaged to make amp green root aimed astatine enhancing the Productivity of haphazard look. This Procedure categorizes wolves into four distinct types: wolf a signifies the optimal Answer wolf b also indicates an optimal Answer wolf d represents a suboptimal Answer and wolf w pertains to the remaining Answers. the aggressive conduct of wolves is used to instance the Procedure's optimization work which mainly encompasses cardinal name actions: encompassing search and assaultive [19,20]. Ultimately this leads to the identification of the optimal global Answer. the Fancy possible agency is provided arsenic follows:

Equation can express the process:

$$\begin{aligned} D &= |C \cdot XP(t) - C(t)| \\ X(t+1) &= XP(t) - A \cdot D \\ a &= 2 - 2 \cdot \frac{t}{t_{\max}} \\ A &= 2a \cdot r_1 - a \\ C &= 2r_2 \end{aligned}$$

In the equations, $XP(t)$ denotes the position vector of the prey, while $X(t)$ signifies the position vector of the individual gray wolf. A and C represent the system vectors, and a is identified as the convergence factor. The variables r_1 and r_2 are random vectors constrained within the range of $[0, 1]$. The parameter t_{\max} indicates the maximum number of iterations allowed.

The hunting procedure is directed by wolves a , b , and d . The position of wolf w is modified based on the locations of wolves a , b , and d . The hunting process can be described using the following formulas:

$$\begin{aligned} D\alpha &= |C_1 \cdot X_\alpha - X(t)| \\ D\beta &= |C_1 \cdot X_\beta - X(t)| \\ D\delta &= |C_1 \cdot X_\delta - X(t)| \end{aligned}$$

$$\begin{aligned} X_1 &= X_\alpha - A_1 D_\alpha \\ X_2 &= X_\beta - A_1 D_\beta \\ X_3 &= X_\delta - A_1 D_\delta \end{aligned}$$

$$X(t+1) = \frac{X_1 + X_2 + X_3}{3}$$

Here $X(t)$ and $X(t + 1)$ represent the positions of the gray wolf at iterations t and $t + 1$ respectively. the positions of wolves α , β and δ are denoted arsenic x_α , x_β and x_δ . When the prey ceases movement the gray wolves Start a collective attack culminating in the completion of the hunting Method. this conduct is shapely done the simple Edition of the overlap agent amp. When $|A|$ equals 1 the gray wolves engage in an attack on the prey reflecting the Procedure's local search capability. On the other hand once $|a|$ exceeds one the grey wolves search prospective feed locations enhancing the Procedure's searchability. The fundamental steps of the Grey Wolf Procedure are outlined as follows: 1. low-level formatting of the Procedureic rule. A population of gray wolves denoted as X_i (where $i = 1, 2, \dots, N$) is randomly Produced within the parameter space with N representing the population size. the reiteration number is initialized astatine tonne = zero and the top list of iterations is lot to t_{\max} 2. Evaluation of the target Role for each prey. inch the first universe of grey wolves individuals are union founded along the nonpayment point run values. The positions of the three individuals corresponding to the best second-best and third-best target Role values are recorded. 3. the distances betwixt the different grey wolves x_α , x_β and x_δ are deliberate exploitation the nominal formulas followed away associate in nursing update of the grey savage positions 4. The parameters (a , A , C) are updated in accordance with the formulas provided. 5. the flow point run rate for apiece grey savage is Calculated and the green values for x_a , x_b and x_d are set founded along the point Role 6. The iteration count is incremented ($t = t + 1$). if tonne is inferior than t_{\max} the work returns to measure (3) for foster iterations. When t reaches t_{\max} the iteration concludes and the optimal value X_a is output. 7. the run chart illustrating the increased Procedureic rule is in figure 4.




Figure 4 Flowchart diagram of Improved System

3.3 Information Mining Module

In addition while numerous Information mining techniques are utilized within cloud computing it is not feasible to directly apply these Procedures to IoT Uses. the extremely active and extensively broadcast world of iot information necessitates the evolution of good and prompt methods for Methoding big quantities of Information. There are primarily three categories of Information mining relevant to IoT Uses.

1. information excavation in ch collateral programming: information excavation Procedures organized for obscure platform preponderantly run in ch amp collateral way characteristic them from those old along different platform. The study referenced as [21] addresses classification challenges within the Information mining domain on cloud platforms drawing inspiration from avian identification. it introduces amp current diurnal access to undertake the sorting effect which has been in ch checkable to work notably good. also [22] focuses on clustering challenges proposing a parallel K-means Procedure that operates on Hadoop platforms. different researchers get prioritize the descent of tie rules from great Informationsets or employ in ch prophetic psychoanalysis founded along excavation outcomes. The work cited as [23] introduces a dynamic Supply-provisioning Procedure aimed at forecasting Supply utilization.
2. information excavation in ch versatile computing: versatile computing has eCombined arsenic amp important field of concern in ch new age and represents amp prospective boulevard for the advance of iot information psychoanalysis apt the preponderance of forward devices inside the iot ecosystem. Research conducted in mobile environments can serve as a valuable reference for IoT Information mining. the read known arsenic [24] presents associate in nursing modern Procedureic rule named radio disparate information excavation (whdm) which is organized to reveal shop Layouts or Understandings from great Informationsets demonstrating its Productivity. In [25] distributed Hoeffding trees are employed to classify streaming Information within mobile computing contexts. Furthermore the search noble intimate versatile mercantilism form excavation and anticipation [26] develops techniques for form excavation and anticipation that look into the kinship betwixt versatile Operators' drive behaviors and their buying minutes
3. Information mining for graphs involves analyzing various events some of which demonstrate significant correlations with the underlying Web structure while others do not. these Roleal correlations get render

Understandings into the viral determine show inside the net. However traditional association mining techniques are not suitable for graph Information as they are Layouted for homogeneous Information sets such as transactions and baskets [27]. rather graphical record excavation is amp special cast of information excavation that focuses along find shop Layouts inside Webs or Information bases. The unique characteristics of graph structures set them apart in the domain of Information mining often leading to greater Productivity in certain areas compared to conventional cloud Information mining methods. researchers bear introduced modern approaches such as arsenic the cloud-based spidermine which leverages obscure computing for graphical record excavation [28]. also other studies have developed a robust and efficient MapReduce-based graph mining tool utilizing cloud computing. Furthermore new search has planned amp new measured for evaluating Roleal correlations inch disparate graphical record Information sets joint with events [29].

overall the big amounts of iot information along obscure platform are extremely active and time-sensitive mainly present arsenic information flows. Traditional Information mining techniques struggle to Method this Information Smartly representing a significant challenge in current Uses. the evolution of Information flow-oriented Methoding technologies for real-time smart Uses clay amp name dispute inch iot information excavation along obscure platform.

IV. CONCLUSION

The smart grid's information transmission Web faces challenges related to both longitudinal and horizontal penetration among multi-level Information centers. this read examines the information store optimization Check for the forward gridiron utilizing associate in nursing increased faux tempering Procedureic rule aboard the gray savage Procedureic rule complete inside amp hadoop structure frame. The findings are summarized as follows:

1. the information inside the forward gridiron is conceptualized arsenic amp task-oriented Informationset. The flat Methoding of the smart grid information platform can be viewed as a compilation of several distributed Information centers. the bulk of the map relationships inside the forward gridiron show relation constancy. as an result Information from the smart grid over a specific period can be Examined to determine the dependencies between the task set and the Information set.

2. amp possible Check is mature founded along the secure dependencies betwixt the job lot and the information appeal attractive into bill the current information infection Methodes inside the force gridiron. This Representation Eases the calculation of the optimal transmission correspondence between each Information set and its corresponding Information centre. 3. the present line information and computational store Supplys inside the forward gridiron are organic with versatile computing-related Informationsets existence oriented to the job programming eye. The Informationsets are categorized based on their associations. the information eye is liable for management and analyzing the relationships betwixt the information eye and the Informationsets employing smart optimization Procedures to set the best dispersion of the Informationsets. The 4. optimally distributed Informationsets are then stored on distributed physical disks.

An Improved Simulated Annealing Procedure is employed to address the longitudinal and horizontal penetration challenges among multi-level Information centers while the Grey Wolf Procedure is utilized for generating new Answers guiding the search for the optimal outcome. the best root clay natural away the first lot values.

By leveraging the Grey Wolf Procedure for new Answer generation the annealing Method is streamlined resulting in fewer iterations and a reduction in the time required for reAnswer. In light of diverse service requirements the optimization and storage of smart grid Information must Adjust to contemporary demands necessitating focus on the following areas:

Proactive geographic expedition of help Representations that array with the due variety of forward gridiron information inch the future; ii. In this information age the proliferation of Information-generating devices is escalating leading to an infinite volume of Information production. notwithstanding the free store and Methoding base clay bound highlight the imperative take for foster evolution and Layout inch advance information store and Methoding technologies

REFERENCES

- [1]. Zhang, Z.; Deng, R.; Yau, D.K.Y.; Cheng, P. Zero-Parameter-Information Data Integrity Attacks and Countermeasures in IoT-Based Smart Grid. *IEEE Internet Things J.* 2021, 8, 6608–6623. [CrossRef]
- [2]. Shi, J.; Foggo, B.; Yu, N. Power System Event Identification Based on Deep Neural Network With Information Loading. *IEEE Trans. Power Syst.* 2021, 36, 5622–5632. [CrossRef]
- [3]. Oskouei, M.Z.; Mohammadi-Ivatloo, B.; Abapour, M.; Shafiee, M.; Anvari-Moghaddam, A. Privacy-preserving mechanism for collaborative operation of high-renewable power systems and industrial energy hubs. *Appl. Energy* 2021, 283, 116338. [CrossRef]
- [4]. Oprea, S.-V.; Bâra, A.; Marales, R.C.; Florescu, M.-S. Data Model for Residential and Commercial Buildings. *Load Flexibility Assessment in Smart Cities. Sustainability* 2021, 13, 1736. [CrossRef]
- [5]. Ansari, S.; Ayob, A.; Lipu, M.S.H.; Saad, M.H.M.; Hussain, A. A Review of Monitoring Technologies for Solar PV Systems Using Data Processing Modules and Transmission Protocols: Progress, Challenges and Prospects. *Sustainability* 2021, 13, 8120.
- [6]. Alzahrani, A.; Sajjad, K.; Hafeez, G.; Murawwat, S.; Khan, S.; Khan, F.A. Real-time energy optimization and scheduling of buildings integrated with renewable microgrid. *Appl. Energy* 2023, 335, 566–577. [CrossRef]
- [7]. Guo, C.; Luo, F.; Cai, Z.; Dong, Z.Y. Integrated energy systems of data centers and smart grids: State-of-the-art and future opportunities. *Appl. Energy* 2021, 301, 117474. [CrossRef]
- [8]. Hafeez, G.; Alimgeer, K.S.; Wadud, Z.; Khan, I.; Usman, M.; Qazi, A.B.; Khan, F.A. An Innovative Optimization Strategy for Efficient Energy Management With Day-Ahead Demand Response Signal and Energy Consumption Forecasting in Smart Grid Using Artificial Neural Network. *IEEE Access* 2020, 8, 84415–84433. [CrossRef]
- [9]. Omidvar Tehrani, S.; Shahrestani, A.; Yaghmaee, M.H. Online electricity theft detection framework for large-scale smart grid data. *Electr. Power Syst. Res.* 2022, 208, 107895. [CrossRef]
- [10]. Ponnusamy, V.K.; Kasinathan, P.; Madurai Elavarasan, R.; Ramanathan, V.; Anandan, R.K.; Subramaniam, U.; Ghosh, A.; Hossain, E. A Comprehensive Review on Sustainable Aspects of Big Data Analytics for the Smart Grid. *Sustainability* 2021, 13, 13322. [CrossRef]
- [11]. Fragkos, G.; Johnson, J.; Tsiropoulou, E.E. Dynamic Role-Based Access Control Policy for Smart Grid Applications: An Offline Deep Reinforcement Learning Approach. *IEEE Trans. Hum.-Mach. Syst.* 2022, 52, 761–773. [CrossRef]
- [12]. Mohiuddin, S.M.; Qi, J. Optimal Distributed Control of AC Microgrids With Coordinated Voltage Regulation and Reactive Power Sharing. *IEEE Trans. Smart Grid* 2022, 13, 1789–1800. [CrossRef]
- [13]. Su, W.; Shi, Y. Distributed energy sharing algorithm for Micro Grid energy system based on cloud computing. *IET Smart Cities* 2023. [CrossRef]
- [14]. Wójcicki, K.; Biegańska, M.; Paliwoda, B.; Górna, J. Internet of Things in Industry: Research Profiling, Application, Challenges and Opportunities—A Review. *Energies* 2022, 15, 1806. [CrossRef]
- [15]. Ahammed, M.T.; Khan, I. Ensuring power quality and demand-side management through IoT-based smart meters in a developing country. *Energy* 2022, 250, 123747. [CrossRef]
- [16]. Chehri, A.; Fofana, I.; Yang, X. Security Risk Modeling in Smart Grid Critical Infrastructures in the Era of Big Data and Artificial Intelligence. *Sustainability* 2021, 13, 3196. [CrossRef]
- [17]. M. Ma, P. Wang, and C.-H. Chu, “Data management for internet of things: challenges, approaches and opportunities,” in *Green Computing and Communications (GreenCom), 2013 IEEE and Internet of Things (iThings/CPSCoM), IEEE International Conference on and IEEE Cyber, Physical and Social Computing. IEEE, 2013, pp. 1144–1151.*
- [18]. Zhang, Z.; Deng, R.; Yau, D.K.Y.; Cheng, P. Zero-Parameter-Information Data Integrity Attacks and Countermeasures in IoT-Based Smart Grid. *IEEE Internet Things J.* 2021, 8, 6608–6623. [CrossRef]
- [19]. Shi, J.; Foggo, B.; Yu, N. Power System Event Identification Based on Deep Neural Network With Information Loading. *IEEE Trans. Power Syst.* 2021, 36, 5622–5632. [CrossRef]
- [20]. Oskouei, M.Z.; Mohammadi-Ivatloo, B.; Abapour, M.; Shafiee, M.; Anvari-Moghaddam, A. Privacy-preserving mechanism for collaborative operation of high-renewable power systems and industrial energy hubs. *Appl. Energy* 2021, 283, 116338. [CrossRef]
- [21]. Oprea, S.-V.; Bâra, A.; Marales, R.C.; Florescu, M.-S. Data Model for Residential and Commercial Buildings. *Load Flexibility Assessment in Smart Cities. Sustainability* 2021, 13, 1736. [CrossRef]

- [22]. Ansari, S.; Ayob, A.; Lipu, M.S.H.; Saad, M.H.M.; Hussain, A. A Review of Monitoring Technologies for Solar PV Systems Using Data Processing Modules and Transmission Protocols: Progress, Challenges and Prospects. *Sustainability* 2021, 13, 8120. [CrossRef]
- [23]. Alzahrani, A.; Sajjad, K.; Hafeez, G.; Murawwat, S.; Khan, S.; Khan, F.A. Real-time energy optimization and scheduling of buildings integrated with renewable microgrid. *Appl. Energy* 2023, 335, 566–577. [CrossRef]
- [24]. Guo, C.; Luo, F.; Cai, Z.; Dong, Z.Y. Integrated energy systems of data centers and smart grids: State-of-the-art and future opportunities. *Appl. Energy* 2021, 301, 117474. [CrossRef]
- [25]. Hafeez, G.; Alimgeer, K.S.; Wadud, Z.; Khan, I.; Usman, M.; Qazi, A.B.; Khan, F.A. An Innovative Optimization Strategy for Efficient Energy Management With Day-Ahead Demand Response Signal and Energy Consumption Forecasting in Smart Grid Using Artificial Neural Network. *IEEE Access* 2020, 8, 84415–84433. [CrossRef]
- [26]. Omidvar Tehrani, S.; Shahrestani, A.; Yaghmaee, M.H. Online electricity theft detection framework for large-scale smart grid data. *Electr. Power Syst. Res.* 2022, 208, 107895. [CrossRef]
- [27]. Ponnusamy, V.K.; Kasinathan, P.; Madurai Elavarasan, R.; Ramanathan, V.; Anandan, R.K.; Subramaniam, U.; Ghosh, A.; Hossain, E. A Comprehensive Review on Sustainable Aspects of Big Data Analytics for the Smart Grid. *Sustainability* 2021, 13, 13322. [CrossRef]
- [28]. Fragkos, G.; Johnson, J.; Tsiropoulou, E.E. Dynamic Role-Based Access Control Policy for Smart Grid Applications: An Offline Deep Reinforcement Learning Approach. *IEEE Trans. Hum.-Mach. Syst.* 2022, 52, 761–773. [CrossRef] 12. Mohiuddin, S.M.; Qi, J. Optimal Distributed Control of AC Microgrids With Coordinated Voltage Regulation and Reactive Power Sharing. *IEEE Trans. Smart Grid* 2022, 13, 1789–1800. [CrossRef]
- [29]. Su, W.; Shi, Y. Distributed energy sharing algorithm for Micro Grid energy system based on cloud computing. *IET Smart Cities* 2023. [CrossRef]
- [30]. Dabbaghjamesh, M.; Kavousi-Fard, A.; Dong, Z.Y. A Novel Distributed Cloud-Fog Based Framework for Energy Management of Networked Microgrids. *IEEE Trans. Power Syst.* 2020, 35, 2847–2862. [CrossRef]
- [31]. Rosero, D.G.; Díaz, N.L.; Trujillo, C.L. Cloud and machine learning experiments applied to the energy management in a microgrid cluster. *Appl. Energy* 2021, 304, 117770. [CrossRef]
- [32]. Ma, F.; Luo, X.; Litvinov, E. Cloud Computing for Power System Simulations at ISO New England—Experiences and Challenges. *IEEE Trans. Smart Grid* 2016, 7, 2596–2603. [CrossRef]
- [33]. Su, Y.; Zhou, T.; Zheng, W.; Zhao, L.; Xue, H.; Huang, G. Construction of Power System Computing and Analysis Platform Based on Cloud Computing. *South. Power Syst. Technol.* 2022, 16, 67–75.
- [34]. Si, Y.; Tan, Y.; Wang, F.; Kang, W.; Liu, S. Cloud-Edge Collaborative Structure Model for Power Internet of Things. *Proc. CSEE* 2020, 40, 7973–7979. [CrossRef]
- [35]. Cao, Y.; Ding, Z.; Wang, P.; Zhang, S.; Liu, J.; Liu, W.; Cheng, M. Coordinated Operation for Data Center and Power System in the Context of Energy Internet (II): Opportunities and Challenges. *Proc. CSEE* 2022, 42, 3512–3526. [CrossRef]
- [36]. Cao, Z.; Lin, J.; Wan, C.; Song, Y.; Taylor, G.; Li, M. Hadoop-based framework for big data analysis of synchronised harmonics in active distribution network. *IET Gener. Transm. Distrib.* 2017, 11, 3930–3937. [CrossRef]