



# Analysis Of Heavy Metal Contamination In The Sediments Of Pond Water Samples In Kanyakumari District

Dr.D.V.Sharmila Kumari <sup>1</sup>

<sup>1</sup>Associate Professor, Department of Chemistry (School of Basic Engineering and Sciences),PSN College of Engineering and Technology (autonomous), Melathediyoor, Tirunelveli-627152,T.N, India.

## ABSTRACT

Pond sediments are an integral part of the pond ecosystem .Geochemical studies of sediments to evaluate the concentration of heavy metals are necessary as it helps to assess the eco toxic potential of the pond sediments. The occurrence of elevated concentration of trace metals in sediments found at the bottom of the water column can be a good indicator of man induced pollution rather than natural environment of the sediment by geological weathering. The presence of heavy metals in aquatic ecosystems is the result of two main sources of contamination; natural processes and natural occurring deposits and anthropogenic activities. In the fresh water environment, toxic metals are potentially accumulated in sediments and subsequently transferred to man through the food chain. Sediments were collected from five ponds during pre monsoon 2017 (Feb,Mar,Apr,May) and monsoon 2016(Jun,Jul,Aug,Sep).The heavy metals like copper(Cu),iron(Fe),manganese(Mn) concentrations were found out. From the results the amount of heavy metals and hence contamination level of sediment samples were analysed.

**Key words:** Heavy metals, Sediments, wastes

## INTRODUCTION

Metal pollution of aquatic ecosystems is becoming a potential global problem. Sediment is the loose sand, clay, silt and other soil particles that is deposited at the bottem of body of water <sup>[1]</sup> . Heavy metals are bio concentrated (or) bio accumulated in one (or) several compartments across food webs<sup>[2]</sup>. The distribution of heavy metals in sediments can provide an avoidance of the anthropogenic impact on aquatic eco systems and therefore aid in assessing the risks associated with discharge waste<sup>[3]</sup>. According to knowledge of metal fraction and their chemical forms in sediment is of great significance in determining remobilization potential of metal in the environment <sup>[4]</sup>. The heavy metals pollution in the aquatic systems is one of the largest threats to the environment that directly affects flora, fauna and human health. There are various sources of heavy metals; some originates from anthropogenic activities like draining of sewage, dumping of hospital wastes and agricultural activities. Pond sediments are important sinks for various pollutants like pesticides, heavy metals and also play a significant role in the remobilization of contaminants in aquatic systems under favorable conditions and in interactions between water and sediments. Exposure to heavy metals has linked to several human diseases such as development retardation (or) malformation, kidney damage, cancer, abortion, effect on intelligence and behaviors, and even death in some cases of exposure to very high concentrations.

The present analysis five sediment samples from the ponds were taken. Sample I is from Parikulam pond, Sample II is from Kudunkulam pond, Sample III is taken from Chunkankadai pond, Sample IV is taken from Pothiyarkulam pond, Sample V is taken from Nullikulam pond during pre monsoon 2017 (Feb,Mar,Apr,May) and monsoon 2016(Jun,Jul,Aug,Sep).

## EXPERIMENTAL SECTION

1 gm of the powdered dry sample was taken in a beaker and added 15ml 1:1 Nitric acid. The content was soaked for about 24 hours. Then it was filtered and analysed for the concentration of heavy metals using AAS.

## RESULT AND DISCUSSION

In the present study the value of Cu was high in pond II in which there is mixing of waste water from nearby by hospitals, workshops and also mixing of cosmetic wastes. The concentration of Fe was higher in pond II may be due to mixing of the sewage sludge, fertilizers, insecticides, municipal wastes etc. The concentration of Mn was higher in pond III may be due to mixing of the animal wastes, hospital wastes, disposals from the nearby small scale industries, marble factories and discharges of fertilizers etc. The results were shown in the following tables (1,2,3,4) and figures (1.a, 2.a, 3.a, 4.a).

**Table:1 Concentration of Cu (mg/kg)**

POND	PRE MONSOON					MONSOON				MEAN
	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEP		
P1	0.23	0.25	0.20	0.18	0.19	0.20	0.19	0.17	0.20125	
P2	0.35	0.38	0.30	0.32	0.28	0.23	0.25	BDL	0.30143	
P3	0.28	0.29	0.32	0.30	0.25	0.23	0.24	0.20	0.26375	
P4	0.20	0.25	0.21	0.21	0.19	0.21	0.18	0.16	0.20125	
P5	0.25	0.29	0.23	0.23	0.18	0.21	0.18	0.19	0.22	




Fig: 1.a

**Table:2 Concentration of Fe (mg/kg)**

POND	PRE MONSOON					MONSOON				MEAN
	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEP		
P1	0.25	0.30	0.28	0.28	0.25	0.24	0.21	0.19	0.25	
P2	0.39	0.42	0.42	0.42	0.25	0.21	0.22	0.19	0.315	
P3	0.35	0.38	0.39	0.35	0.23	0.19	0.19	0.24	0.29	
P4	0.28	0.29	0.28	0.31	0.24	0.23	0.20	0.18	0.25125	
P5	0.28	0.23	0.25	0.24	0.19	0.19	0.18	0.19	0.21875	




Fig: 2.a

Table:3 Concentration of Mn (mg/kg)

POND	PRE MONSOON					MONSOON				MEAN
	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEP		
P1	0.25	0.23	0.27	0.25	0.21	0.19	0.20	0.19	0.22375	
P2	0.38	0.40	0.38	0.38	0.24	0.25	0.22	0.19	0.305	
P3	0.38	0.40	0.41	0.42	0.23	0.24	0.25	0.24	0.32125	
P4	0.23	0.28	0.29	0.30	0.21	0.23	0.25	0.22	0.25125	
P5	0.26	0.24	0.28	0.23	0.21	0.24	0.23	0.24	0.24125	




Fig: 3.a

**CONCLUSION**

Analysis of the sediments revealed that they are polluted by the wastages from hospital, sewage disposals, municipal wastes, fertilizers, insecticide etc.

## ACKNOWLEDGMENT

The authors are thankful to the management and staff of S.T.Hindu College, Nagercoil, Kanyakumari District, Tamilnadu.

## REFERENCES

- [1] Davies and above, J.F.N.european journal of scientific research, vol.26 , no.3,2009,Pp.437-442.
- [2]E.O.oyewo,” industrial sources and distribution of heavy metals in lagos lagoon and their biological effects on Estuarine Animal ,”ph.D. theris, university of lagos,lagos,1998.
- [3]L.J.Tari,K.C.,YU,S.F.Chan and p.y.kung,water research, vol,37,no.10,2003,Pp.2449-2457.
- [4] N.lopez Gonzalex,J.borrego, J.A.Morales,o.carro and O.lozano- soria,”Esturarine, coastal and o.carro and O. Lozano-soria,”Esturarine, coastal and shelf science, vol.68,No.3-4,2006,Pp.297-304.

