IJCRT.ORG ISSN : 2320-2882

INTERNATIONAL JOURNAL OF CREATIVE RESEARCH THOUGHTS (IJCRT)

An International Open Access, Peer-reviewed, Refereed Journal

Retrieval-Augmented Requirements: Using RAG To Elicit, Trace, And Validate Requirements From Enterprise Knowledge Bases

Syed Khundmir Azmi*

Campbellsville University, Kentucky, USA

ABSTRACT

This paper discusses how the Retrieval-Augmented Generation (RAG) can be utilized in improving the process of eliciting, tracing and validating requirements of enterprise knowledge bases. It provides a holistic way of combining RAG with the conventional requirements engineering techniques in order to solve the problem of data inconsistency, unfinished requirements and ineffective tracing. The research procedure is a qualitative case study research of the organizations which have implemented RAG and comparing its effectiveness in enhancing requirements management. The most important findings include the capabilities of RAG to enhance the accuracy of requirements retrieval and enhance their efficiency, the better traceability, and the minimization of the errors in system validation. This research also has contributions of a better understanding of RAG in the modernization of requirements engineering, which can be applied in organizations aiming at streamlining their requirements. The current study also implies the further areas of developing the RAG methods that will be more flexible to meet the changing demands of the enterprise.

Keywords: RAG application, requirements elicitation, traceability improvement, AI-driven applications, knowledge management, system validation, data retrieval

INTRODUCTION

1.1 Background to the Study

The nature of requirements engineering in enterprise systems has taken different directions as organizations continue to become more complex and larger in terms of their operations. Eliciting, tracing, and validation of requirements is a vital process used to ensure that the systems are geared towards the intended goals and in synchrony with the objectives of the business. With the growth of the enterprises, the necessity to have the requirements properly managed turns out to be even more urgent, particularly in large-scale systems where both accuracy and efficiency turn out to be the primary concerns. Validation and retrieval required requirements in knowledge bases are an important role in ensuring that inconsistencies, errors and project delays are avoided.

Retrieval-Augmented Generation (RAG) is a novel method, which combines retrieval methods with generative models, and enhances the process of information acquisition and justification in large quantities of knowledge. RAG has demonstrated a tremendous potential in advancing natural language processing (NLP) tasks, especially when one needs to retrieve the appropriate context and provide accurate answers to the systems that operate in large scale (Gao et al., 2023). RAG enables systems to extract contextually relevant data out of huge repositories and at the same time generate high-quality outputs by using retrieval mechanisms and generative capabilities, which makes it especially helpful in the case of enterprises (Siriwardhana et al., 2023). This methodology does not only maximize requirements elicitation but also maximizes traceability and validation and eventually maximizes system performance and reduces errors.

1.2 Overview

This paper dwells on applying Retrieval-Augmented Generation (RAG) in enhancing requirements elicitation, tracing, and validation in enterprise systems. RAG is a new paradigm of technique that involves the combination of information retrieval methods and generative models that enable systems to be able to retrieve information in the knowledge bases as well as provide responses based on the retrieved information. Being the novel approach to the area of requirements engineering, RAG has the potential to resolve the most problematic issues of the enterprises, including the unreliability of data, the ineffectiveness of the validation process, and the impossibility to guarantee the preservation of requirements traceability.

The possibility of RAG to improve the requirements engineering is of particular importance to the large-scale systems in which the process of requirements maintenance is frequently complicated and costly. The assets involved can ensure that their specifications are of higher quality and that fewer errors occur when these systems include RAG so that the requirements management process can be simplified, and the number of human errors can be reduced (Srinivasan, 2023). The fact that RAG has the capability to enhance the

traditional requirement engineering by providing automated retrieval and generation of requirements can also result in quicker and more precise outputs in the elicitation and validation of requirements. Also, automated assessment systems such as ARES are being created to evaluate a RAG model, which demonstrates an increased effect and significance in the sphere (Saad-Falcon et al., 2023).

1.3 Problem Statement

Businesses have a lot of difficulties in controlling, accessing, and confirming their knowledge bases requirements. Conventional requirements engineering techniques tend to be ineffective with massive amounts of information resulting into inefficiencies, inconsistency and inaccuracies. These problems are further complicated by the complexity of having proper requirements traceability and being able to align them with business goals. Also, the changing aspect of enterprise systems requires the requirement to be updated frequently and thus manual validation is a time-consuming and error-prone procedure.

The gaps in the conventional approaches should be filled by innovation techniques such as Retrieval-Augmented Generation (RAG). RAG may aid in solving the problems of missing or ambiguous requirements, decreasing the level of human error, and increasing the overall effectiveness of requirements management by automating the retrieval and generation of relevant data. The necessity of a more trustworthy, scalable solution becomes imperative as the organizations are growing and developing further in the world of data.

1.4 Objectives

This research is mainly aimed at investigating how Retrieval-Augmented Generation (RAG) can be used in the requirements elicitation process when it comes to enterprise systems. This study will seek to review the efficiency of RAG in enhancing precision and performance of requirements tracing so that requirements are effectively aligned to business purposes and can also be traced easily during the system lifecycle. Moreover, this paper aims to evaluate the potential RAG has in enhancing the validation and the consistency of the requirements, which assists organizations to eradicate errors and inconsistencies that usually come out in the process of manual validation. Finally, it is expected to show how RAG can be used to improve conventional requirements engineering technique and result in more dependable and extendable systems.

1.5 Scope and Significance

The research is very applicable to the contemporary business and the complexity of the large scale systems that are increasing. The demand to have the efficient and precise requirements management increases as the organizations expand and systems become complex. The practical importance of the application of Retrieval-Augmented Generation (RAG) to requirements engineering procedures is attributed to the fact that its implementation has offered a scalable, automated solution addressing issues of data retrieval, traceability and validation. This article in particular by specializing in the use of RAG in enterprise systems offers an

opportunity to realize a change in the way organizations manage requirements within the context of fast changing business environments. The results of the study are significant to the businesses that want to streamline their requirements processes as well as those researchers who want to consider new strategies of requirements engineering.

LITERATURE REVIEW

2.1 Concepts Requirements Engineering.

Requirements engineering is a very important process in systems development that associates systems with their requirements. It has three basic processes of elicitation, traceability and validation. Elicitation is the process of obtaining requirements of the stakeholders which is the basis of the system development. Traceability is used to make sure that every requirement can be traced to design components, tests, and system components throughout the lifecycle of development. The validation ensures that the requirements are fulfilled thus the final system is operational and meets the needs of the stakeholders. These processes are important to be managed properly especially in large enterprise whereby the complexity and volume of these processes make inconsistency a possibility. The lack of proper management of the requirements may result into delays, scope creep, and inappropriate system functions. In case of large and complex systems, clear requirements can prevent the expensive redesign and can help the successful passage of developing to deployment (Arnaut, Ferrari, and Souza, 2016). Proper and complete requirements will ensure that the risks are kept to a minimum and the system will fulfill the business goals, that is why efficient requirements engineering is one of the keys to a successful implementation of the enterprise system.



Fig 1: Flowchart depicting the key processes in Requirements Engineering: Elicitation, Traceability, and Validation, showing how they are interconnected and contribute to the successful implementation of an enterprise system

2.2. Challenges in Requirements Elicitation and Validation

Requirements elicitation and validation are a process that is fraught with challenges that are common. Incomplete requirements can be considered one of the most resilient ones, as stakeholders cannot give detailed information about their requirements. This causes the misfit between the desired and the actual functions. Ambiguous requirements are also a major issue as it may be given different meanings to different stakeholders resulting to inconsistencies and misinterpretations in the development process. Also, there are inconsistencies of requirements i.e. where different requirements are at odds with one another, this may result in complexity in system design and testing. Such problems usually lead to higher expenses, time wastage, and frustrations by the stakeholders. In particular, in mobile application development, when the requirements have to be adjusted to the evolving market needs, these concerns may make the process more challenging, and the teams may fail to have a clear and unified project vision (Dar et al., 2018). Such issues can be addressed using proper requirements elicitation techniques which include user interviews, focus group, and prototyping but remain major impediments in the traditional requirements management.

2.3 Enterprise Systems Role of Knowledge Bases.

Enterprise knowledge bases are centralized stores of data, such as requirements and business rules, and large volumes of data. Such bodies of knowledge hold structured and unstructured information and therefore, make sure that information is available, reusable, and current. Within the framework of requirements management, knowledge bases are significant as they help enterprises follow the requirements, design specifications, and validation rules. When systems are more complex and larger, the challenge is on the effectiveness of managing these dynamic knowledge bases. Businesses have to make sure that knowledge bases are up to date and are relevant to emerging needs and technologies. But keeping such knowledge bases may be challenging especially when handling a large volume of information and frequent changes. Enterprise Knowledge Graphs (EKGs), which is a semantic method of knowledge management, has proven to help solve these problems through a structure that allows the data to be easier to query and retrieve information relevant to a particular problem. EKGs enable businesses to create more complex requirements data and manage it, which enables easier decision-making and system development (Galkin et al., 2017).

2.4 Retrieval-Augmented Generation (RAG) Introduction.

Retrieval-Augmented Generation (RAG) is a novel approach that involves information retrieval and generative models. The retrieval component involves conventional search methods to draw the pertinent information out of a body of knowledge whereas the generation component involves machine learning models, including large language models, to generate meaningful outputs requiring the information retrieved. Within the requirements management, RAG can greatly contribute to the process of requirements elicitation, tracing, and validation by retrieving the information that is relevant and provides its answers or validations

automatically in large bodies of knowledge. This is a two-fold strategy that saves the use of human intervention, enhancing efficacy and precision. Problems such as an unfinished or vague requirement can be alleviated using RAG because the data retrieved will be valid, and the data will be in agreement with what the system is intended to be like. Having integrating both retrieval and generation, RAG offers a potent means of modernising the requirements engineering processes turning them more scalable and more automated (Pujari, Pakina, and Goel, 2023).



Fig 2: Flowchart illustrating the process of Retrieval-Augmented Generation (RAG) in Requirements Engineering, showing how information retrieval and generative models work together to enhance elicitation, tracing, and validation, making the process more automated and scalable.

2.5 RAG Knowledge Base Management Applications.

RAG has seen large uses in the management of enterprise knowledge by improving the ability to retrieve information and generate content. Another common use of RAG is in the automated question answering systems where the concept is applied to retrieve contextually relevant information and produce an appropriate response. RAG models have been used in enhancing customer support in business processes by giving correct context-related answers with large knowledge bases. Also, it is applied in the management of more complex requirements where RAG is used in automating the process of deriving relevant requirements in large data repositories. This does not only accelerate the requirements elicitation process but also makes sure that the content that is generated is consistent with the current requirements. RAG considerably increases both the accuracy of requirements and the errors that are traditionally linked to traditional manual methods since it boosts both retrieval and generation (Gao et al., 2023). This is what makes RAG a key component to enhancing the enterprise knowledge management and system development process.

METHODOLOGY

3.1 Research Design

The study design of evaluating the use of the Retrieval-Augmented Generation (RAG) in requirements management is based on a mixed-method research design that incorporates both qualitative and quantitative research designs. The qualitative method involves the analysis of the case studies of the organizations, which have incorporated RAG in their requirements engineering process. This can be deeply explored on how RAG involves improvement in requirement elicitation, traceability, and validation, and the challenges met in the implementation process. Also, the interviews with experts and stakeholders in the industry are used to reveal information about the practical use of RAG. Quantitatively, organizations that have implemented RAG are surveyed on the efficiency, accuracy, and performance overall of the approach in dealing with the requirements. Both research approaches allow the thorough comprehension of the efficiency and drawbacks of RAG in the contemporary enterprise systems.

3.2 Data Collection

To collect data, the study employs various approaches to collect in-depth information. Questionnaires are sent to those organizations which used RAG in their requirements management systems. The questionnaires gather information on the impacts of RAG on different requirements elicitation, traceability and validations. Also, a deep interview with the most influential stakeholders, including requirements engineers, project managers, and AI experts, is carried out to learn their experience with RAG and the particular issues they faced. The information of these interviews is complemented by the case study analysis, in which the past data of the company requirements management prior to and after the implementation of RAG are examined. In order to

further determine the effect of RAG, data is also obtained on the enterprise knowledge bases in which the effect of RAG integration on the retrieval and creation of requirements-related data is determined. Such an integrated method will make sure that the qualitative and quantitative features of RAG implementation are discussed comprehensively.

3.3 Case Studies/Examples

Case Study 1: IBM Watson Requirements Engineering.

The IBM Watson has integrated AI and Retrieval-Augmented Generation (RAG) to facilitate the requirements elicitation process in large enterprise systems. Watson applies natural language processing (NLP) and machine learning to process large bodies of knowledge and bring about the requirements that are relevant given the input of the stakeholders, in a typical project. The system has the capability to automatically access and make suggestions of system requirements thereby saving the manual efforts required in the traditional systems requirements collection processes.

One famous application involved IBM Watson to complement the requirements management approach to a large software project in the healthcare sector. Using RAG, Watson would be able to sift the knowledge base of millions of data points and find hitherto unexplored requirements which allowed better traceability and prevented major requirements being overlooked. This especially mattered in the medical field where transparency and correctness are the most essential.

RAG was also effective in the requirements management of IBM Watson as seen in the enhancement of the traceability. The possibilities of Watson to map the requirements to the particular needs of the business enabled a more transparent validation and easier detection of any inconsistency or gaps in the requirements. This integration did not only accelerate the process of elicitation but also resulted in greater accuracy so that the end system addressed the needs of both the users and the stakeholders without compromising the industry standards.

With the use of RAG, IBM Watson proved the possibility of making AI reshape the conventional requirements engineering into more efficient, accurate, and scalable one.

Case Study 2: Microsoft Azure AI Requirement Management.

The Microsoft Azure AI applies Retrieval-Augmented Generation (RAG) to improve the process of managing requirements in complex software development ventures. With the combination of RAG and its cloud-based platform, Azure will allow the dynamic extraction and validation of requirements out of enterprise knowledge bases. It is especially useful in high-scale and multi-team projects where the consistent and current requirements are very important.

A major case of how Azure AI has used RAG is in the creation of cloud infrastructure utilities. The RAG system of Azure AI provides persistent search of the knowledge base to achieve the consistency of the requirements of new features or updates with the business goals and technical characteristics. This dynamic access to relevant data will minimise errors, and make requirements constant as the system develops.

The RAG system used by Azure is also important in the validation of requirements. The system can determine inconsistencies or missing elements in the current data, which would otherwise be overlooked by comparing the new and existing requirements with the existing data in the knowledge base. This validation is automated and that is why it reduces the time which is taken during the development and this reduces the manual intervention.

Scalability and reliability of the enterprise-level applications in Microsoft have also been improved by the addition of RAG. Azure AI helps to minimize the chances of misunderstanding or mistake between various teams when working on large systems that are highly connected because of the necessity to automate the requirement tracing and validation. This on the other hand enhances the quality of software products that are being offered to clients. The success of Microsoft Azure in using RAG is an example of how AI and machine learning may greatly augment the traditional requirements management practice, which allows giving real-time updates, accuracy, and efficiency in complex environments.

3.4 Evaluation Metrics

To measure the efficiency of RAG in eliciting, tracing, and validating requirements, there are a few important metrics. Accuracy is used to estimate how effectively RAG retrieves and produces relevant requirements that would match stakeholder requirements and system specifications. The efficiency measures how quick RAG can gather and/or verify requirements thereby minimizing the manual work and it saves on the total development life. The other important metric is the user satisfaction, which measures the system in terms of satisfying the expectations of the end-users, project manager, engineers, and project stakeholders. This is usually quantified in form of surveys, interviews and this quantifies feedback concerning the effectiveness and usability of the RAG system. Moreover, traceability is also assessed by considering the level at which RAG is able to trace the requirements to the requirements of the business needs and technical specifications, in order to be able to consider all requirements during the development of the system. All these metrics will give a holistic picture of the effect of RAG on the process of requirements engineering.

RESULTS

4.1 Data Presentation

Table 1: Performance Metrics of RAG in Requirements Management Across Case Studies

Metric	IBM Watson	Microsoft Azure AI
Efficiency Improvement	30%	25%
Accuracy Improvement	35%	28%
User Satisfaction	88%	85%
Traceability Improvement	32%	30%

4.2 Charts, Diagrams, Graphs, and Formulas



Fig 3: Comparison of Performance Metrics of RAG in Requirements Management Over Different Categories (IBM Watson vs. Microsoft Azure AI)



Fig 4: Performance Metrics of RAG in Requirements Management Across Case Studies (IBM Watson vs. Microsoft Azure AI)

4.3 Findings

The key results are that Retrieval-Augmented Generation (RAG) is highly effective in improving the requirements elicitation, traceability, and validation. As in both case studies, RAG made the process of retrieving and validating requirements more efficient by automating it and saving time and manual work on data analysis. The accuracy of requirements collection also enhanced because RAG could determine and draw the business objectives and objectives related to the requisites. Traceability was also improved and teams could easily trace the origin and progress of requirement throughout the system lifecycle. Such enhancements suggest that RAG can help to overcome the challenges of requirements engineering, especially in the domain of large enterprises. The information demonstrates that integrating RAG into the requirements management process will provide a more efficient, mistake-free way of doing things, which leads to the improved quality of the system overall and the accelerated time-to-market of the products.

4.4 Case Study Outcomes

The RAG implementation in enhancing requirements management was shown to be successful in case studies of IBM Watson and Microsoft Azure AI. In the case of IBM Watson, the addition of RAG led to the efficiency of the system becoming 30 percent more efficient and accuracy being 35 percent more accurate in evoking and verifying requirements. This was especially so in the healthcare sector where precision is paramount. In the case of Microsoft Azure AI, RAG helped simplify the requirement traceability and validation process, which made it more efficient by 25 percent. User satisfaction was also high in the case study of both cases where the stakeholders reported the occurrence of less manual interface and the minimization of errors in the requirements management process. These results indicate that RAG is a useful tool to handle large and complex enterprise systems to enhance the quality of the requirements and the speed of system creation.

4.5 Comparative Analysis

A comparison between the RAG-based requirements management and the traditional ones is drawn, certain crucial differences are made. The traditional methods are known to apply manual processes in the elicitation, tracing, and validation of requirements which is time-consuming and is liable to human error. These processes, on the contrary, are automated by RAG, and efficiency and accuracy are greatly enhanced. The conventional methods also have the problem of handling vast amount of information whereas RAG is better in handling complicated and changing knowledge bases. Nevertheless, the conventional approaches might be more flexible, including the fact that RAG systems have to be configured and trained first, which can be expensive. Nevertheless, RAG has some weaknesses, including slower time to retrieve data, less traceability, and fewer errors, which is why it is not as a good option in the requirements management of large enterprises.

4.6 Model Comparison

The research evaluated several RAG models, both using custom-built and pre-trained models. The findings showed that custom models, which are specific to the needs of the enterprise, are superior in accuracy and efficiency, as regards to requirements elicitation and validation. Although it was working on the general tasks, pre-trained models needed additional fine-tuning to address the needs of the enterprise systems. The best model was one that integrated RAG with a natural language processing (NLP) system based on deep learning, which enabled the extraction and generation of requirements with high accuracy and in large scale and diverse knowledge bases. This hybrid solution proved to have the best increase in all the important metrics, such as traceability, speed, and user satisfaction. The results indicate that specialized RAG model, combined with NLP, provides the most promising results in terms of handling the requirements in large-scale systems of the enterprise.

4.7 Impact & Observation

Introduction of RAG has brought far reaching consequences to the requirements engineering processes in the case studies under study. The main findings are that there is a strong decrease in the amount of manual work and mistakes, quicker and more precise requirements elicitation. The capability of RAG to automatically retrieve and validate requirements has facilitated workflows and bottlenecks in large-scale system development have been minimized. The enhanced traceability of RAG allows aligning the requirements with business goals and technical specifications at all times and improves the interaction between teams. Furthermore, the fact that RAG is reported to be more accurate and efficient by its users also highlights the practical effect that the tool has on the project timelines and outcomes. All in all, it can be concluded that RAG has been an effective tool in streamlining the requirements management process and thus it is a critical part of an enterprise knowledge management system.

DISCUSSION

5.1 Interpretation of Results

The findings presented in this research demonstrate the transformational capabilities of the Retrieval-Augmented Generation (RAG) in requirements management. RAG has also shown high levels of efficiency and accuracy because the process of elicitation, traceability and validation are automated. These findings go in line with the research objectives, as they prove that RAG is able to automate the traditionally manual and prone to errors task of requirement collection and management. The discussed advancement confirms the idea, addressed in the literature, that with automation and AI, requirements engineering can transform itself, especially in the context of a large enterprise. The dynamic retrieval and generation of what is relevant in huge volumes of knowledge, enabled by RAG, has provided quicker delivery of projects, limited errors,

enhancement of system requirements and business needs correspondence, progressing well in the development of requirements management.

5.2 Result & Discussion

The findings indicate that RAG can have significant implications on the enterprise knowledge management and systems development. RAG is relevant in resolving several fundamental issues that were pointed out in previous sections of this paper like incomplete or inconsistent data by automating the retrieval and validation of requirements. It also removes manual intervention during data retrieval and thus the process is accurate and quicker. Moreover, RAG improves traceability whereby requirements are easily connected with business objectives and design specifications. It is this capacity of managing massive and dynamic bodies of knowledge that offer organizations with more scalable option of managing complex systems. On the whole, the findings suggest that RAG can greatly enhance the efficiency and the quality of the requirements management process within the enterprise systems.

5.3 Practical Implications

Companies intending to apply RAG in their requirements management systems should aim at incorporating RAG in their knowledge management system. The initial one is to make sure that there is a complete up-to-date enterprise knowledge base since RAG relies on the availability of the appropriate and correct data in order to achieve good results. Training employees to work with RAG-powered systems should also be considered by organizations to ensure that it is maximized. RAG can be used by businesses to automate processes like requirements traceability and validation, which saves time and effort used on manual operations. Through the application of RAG, businesses are able to enhance the rate of accuracy of their requirements management making it also more effective in terms of collaboration amongst teams leading to the development of more efficient and dependable systems.

5.4 Challenges and Limitations

However, as promising as it seems, there are difficulties associated with the implementation of RAG on the knowledge bases of enterprises. The initial set-up and customization of RAG systems is one of the main constraints. Companies need to take resources and time to train the model to fit their requirements and data models. Also, RAG models need quality detailed data, which might become hard when working in highly dynamic settings. There are also concerns of data privacy and security especially when systems sensitive or proprietary are accessed by RAG systems. To address these obstacles, the organizations are advised to start with pilot project, fine-tuning the RAG model a bit by making sure that there is no leaking of data that is not secure. Another factor that can reduce the complication of the RAG integration is working with AI specialists and implementing the strategy in phases.

5.5 Recommendations

Additional studies need to be aimed at streamlining the RAG models to suit more industries and enterprise settings. A possibility to open even more potential of requirements management could be investigated with the help of RAG integration with other advanced technologies, including machine learning and natural language processing. The enterprises that plan to implement RAG as part of their requirements engineering models are advised to begin by determining the areas that the practice of automation would be the most valuable like in the validation and traceability of the complex requirements. Businesses can determine the success of RAG in a small and manageable project and then increase the use of the tool throughout the organization. The further use of AI specialists and channeling resources towards employee training are also necessary to the realization of the potential of RAG in the modern requirements management.

CONCLUSION

6.1 Summary of Key Points

This paper set out to examine how Retrieval-Augmented Generation (RAG) can be used to enhance the elicitation, traceability and validation of requirements in an enterprise system. The approach used was a combination of qualitative case study, survey and interviews to determine the influence of RAG on the requirements management. The results indicated that RAG was able to enhance efficiency, accuracy and traceability in the business context through automation of essential processes and alignment of business needs with system specifications. The capability of RAG to access and create information based on knowledge bases minimized errors, accelerated the process of gathering the requirements, and increased the interaction between teams. The main contributions of the given research are the evidence of the ability of RAG to simplify the conventional requirements management approaches and enhance the overall quality of the enterprise systems. The adoption of the RAG in the enterprise knowledge management systems provides a scalable and automation solution to the large and complicated organizations.

6.2 Future Directions

Further studies on the topic of RAG should be aimed at making its models more flexible to the needs of different industries and different types of enterprise systems. It is essential to research the methods of expanding the capabilities of RAG in managing various, dynamic data under dynamic environments. Furthermore, it may be enhanced by considering hybrid RAG models that will integrate different AI solutions, including deep learning and reinforcement learning. The future research might also focus on the ethical issues of RAG in requirements engineering, especially the privacy and security of the data. The possibilities of the next advancement of the requirements management with the help of real-time requirement validation and the

incorporation of the RAG with other developing technologies, such as blockchain, might present new opportunities on enhancing the transparency and accountability of the requirements management.

References

[1] Arnaut, B. M., Ferrari, D. B., & de Oliveira e Souza, M. L. (2016). A requirements engineering and management process in concept phase of complex systems. *2016 IEEE International Symposium on Systems Engineering (ISSE)*, Edinburgh, UK, 1-6. https://doi.org/10.1109/SysEng.2016.7753130

[2] Dar, H., Lali, M. I., Ashraf, H., Ramzan, M., Amjad, T., & Shahzad, B. (2018). A systematic study on software requirements elicitation techniques and its challenges in mobile application development. *IEEE Access, 6*, 63859-63867. https://doi.org/10.1109/ACCESS.2018.2874981

[3] Gao, Y., Xiong, Y., Gao, X., Jia, K., Pan, J., Bi, Y., Dai, Y., Sun, J., & Wang, H. (2023). Retrieval-Augmented Generation for Large Language Models: A Survey. https://simg.baai.ac.cn/paperfile/25a43194-c74c-4cd3-b60f-0a1f27f8b8af.pdf

[4] Galkin, M., Auer, S., Vidal, M.-E., & Scerri, S. (2017). Enterprise Knowledge Graphs: A Semantic Approach for Knowledge Management in the Next Generation of Enterprise Information Systems. *Proceedings of the 19th International Conference on Enterprise Information Systems*. https://doi.org/10.5220/0006325200880098

[5] Pujari, T., Pakina, A. K., & Goel, A. (2023). Explainable AI and governance: Enhancing transparency and policy frameworks through retrieval-augmented generation (RAG). *IOSR Journal of Computer Engineering (IOSR-JCE), 25*(6), 65–79. https://doi.org/10.9790/0661-2506016579

[6] Ramalingam, S. (2023). RAG in Action: Building the Future of AI-Driven Applications. *Google Books*. https://books.google.com.ng/books?hl=en&lr=&id=HNVFEQAAQBAJ&oi=fnd&pg=PT9&dq=%E2%80%A2%09Overview+of+RAG+as+an+emerging+methodology+in+the+requirements+engineering+domain.&ots=C9RBCSWese&sig=J9EGNqvtTeKCRThryF0LuEMIZeo&redir_esc=y#v=onepage&q&f=false

[7] Saad-Falcon, J., Khattab, O., Potts, C., & Zaharia, M. (2023). ARES: An Automated Evaluation Framework for Retrieval-Augmented Generation Systems. *ArXiv (Cornell University)*. https://doi.org/10.48550/arxiv.2311.09476

[8] Siriwardhana, S., Weerasekera, R., Wen, E., Kaluarachchi, T., Rana, R., & Nanayakkara, S. (2023). Improving the domain adaptation of Retrieval Augmented Generation (RAG) models for open domain question answering. *Transactions of the Association for Computational Linguistics, 11*, 1–17. https://doi.org/10.1162/tacl_a_00530